

## FACT SHEET PLYEDGE

### PRODUCT DESCRIPTION

Plywood is made with several layers of compressed veneers or timber, to create a very useful material board that is strong and durable for interiors. Some top quality plywood do have refined look, natural and simple. Our PLYEDGE products use plywood from Finland and compressed together with our top quality laminate, to give the plywood surface a unique outlook while leaving the edges raw and exposed. Getting rid of black lines from the laminate and limitation of edge bands, PLYEDGE are designed to meet designer's creation.

### FEATURES

- | Odour-free materials
- | Food contact available
- | Durable laminate surface and strong plywood base
- | Simple installation and maintain, no specialist equipment for installation required
- | Self-trimming in site
- | Customized patterns available

### APPLICATION

Table top / Cabinet doors / Drawer fronts / Furniture


### SIZE

FULL SHEET	1220mm W x 2440mm H
THICKNESS	15mm / 18mm
RADIUS CONERS	Minimum 10mm

\*Cut-to-size service available

### EDGE COATING

### WATER-BASED PAINT



### TOPPAL (HK) LIMITED

Office A1-2, 18/F, Loyong Court Commercial Building, 212 Lockhart Street, Wan Chai  
T 2358 0809 F 2358 0810 E [wc@toppal.com](mailto:wc@toppal.com)

## **PATTERN**

All HPL models from TOPPAL or WINDECO, either conventional HPLs with black kraft paper or color cores. Colour core models are ending with "C" at the end of their product code as shown in our catalogues

## **STORAGE & INSTALLATION**

PLYEDGE products are made with strong plywood and durable laminate surface, thus it should be fine to be stored for a while with no obvious harms to it. However, we do suggest fittings to be done as soon as the plywood products arrived to minimize any possible scratches or cracking that may happen in many construction sites. Please check our PLYEDGE products and if there is any issue relating to quality, please leave it unused and contact us to arrange exchange, otherwise no exchange service will be available once the product is being fitted.

## **TABLE / COUNTER TOP EDGE PROFILE**

### **ROUNDED**



### **DOUBLE BEVEL**



### **SEMI-COVE**



\*A brown or black line will appear as shown in above images when using conventional laminate.

\*Colour-core laminates are available for PLYEDGE products

## **CABINET DOOTS / DRAWER FRONT EDGE PROFILE**

### **EDGE**



### **HANDLE**



## **AFTERCARE & CLEANSING**

**SPILLAGES** Our laminate surface is resistant to water ingress and stains, however, we still recommend mopping up any spillages as soon as possible with a clean damp cloth. This is to ensure your worktop remain hygienic and safe to use.

**CLEANING** Quick and simple to maintain, laminate worktops can be cleaned easily with a mild detergent and water solution before wiping over with clean warm water. Gently dry with a clean dry and soft cloth.

**STAINS** We do suggest any spillages should be immediately cleaned to avoid stains, especially spillages and marks with strong colouring such as dark soy sauce, markers, pen or stamps etc. However, if stain appears use a mild solution of detergent and water to clean the surface.

**CUTTING** It is best to cut on a chopping board instead of on the COMPACT directly when preparing food. Scratches, marks and general wear and tear will be more visible on a darker worktop than a lighter one.

**HOT CONTACT** COMPACT worktops are resistant to heat, however, we suggest that you do not place hot pans or dishes directly onto the surface. Instead, use a pan stand, trivet or hotrods.

### **TOPPAL (HK) LIMITED**

Office A1-2, 18/F, Loyong Court Commercial Building, 212 Lockhart Street, Wan Chai  
T 2358 0809 F 2358 0810 E [wc@toppal.com](mailto:wc@toppal.com)